Science to enable sustainable plastics

A white paper from the 8th Chemical Sciences and Society Summit (CS3)

Contents

About the Chemical Sciences and Society Summit (CS3) 4

Glossary of terms used in this report 5

Summary and recommendations 6

1. The impact of plastics 12

2. New sustainable plastics 20

3. Recyclability of plastics 28

4. Degradation of plastics 36

Appendix 43

- Glossary of acronyms 44
- Structures of common polymers and their recycling symbols 44
- Further reading 45

CS3 participants 46

Cite this report: rsc.li/progressive-plastics-report

Glossary of terms used in this report

Additive: Most plastics contain various additives that help to maintain their long term performance. Typical additives include antioxidants, antistatic agents, colourants, curing agents, flame retardants, thermal stabilizers, UV stablizers, plasticizers and lubricants.

Bio-based or bio-derived plastic: A polymer that is produced from biological resources, including chemicals derived from plants and algae. For example, polylactide is produced from sugar, which is harvested from plants like sugar cane.

Biodegradable plastic: A plastic that undergoes accelerated degradation by organisms and biomolecules such as enzymes, forming small molecules that are metabolized by natural organisms. Biodegradable plastics should break down to natural materials that can be returned to the environment without pollution or deleterious effects.

Biopolymer: A naturally occurring polymer, such as cellulose or starch.

Chemical recycling

Summary and recommendations

Plastics have helped to build the modern world. They keep our food fresh and

plastic particles are reported to occur from tropical to pristine polar areas, and from beaches to deep-sea sediments. Later, river and lake systems were examined, where plastic particles were found even in remote mountain lakes. Plastic particles have more recently been found in the atmosphere and in terrestrial ecosystems, especially in urban and agricultural soils. The ingestion of plastic particles together with food has already been investigated in a variety of organisms from aquatic and terrestrial habitats, and the resulting effects on organisms and human health are still under discussion.

Possible risks associated with plastic particles cannot be generalized because microplastics and nanoplastics comprise a very heterogeneous group of particles that vary in polymer composition, additive content, size, shape, ageing state, and consequently in their physicochemical properties. However, the ubiquitous contamination of the environment with microplastics and nanoplastics, along with the possible associated risks to ecosystems and ultimately to human health, has recently attracted a great deal of public and scientific attention.

For many members of the general public, plastics now epitomize a disposable way of life and are associated with cheap, low-quality and low-value products. The visible evidence of plastic pollution and as yet unknown impacts of these materials are driving a reconsideration of their life cycles, designs and uses. Technical solutions will be needed to ensure that in future plastics combine useful properties with better end-of-life options, and chemistry will play a central role in delivering these.

Developments in chemistry will be key to understand and mitigate the impact of plastics in the environment. Chemistry can help to develop efficient ways to recycle the plastics we use today and, in the longer term, create replacements that are made from sustainable starting materials, are more amenable to recycling at end-of-life, and have reduced environmental persistence or impact.

Sustainability across the entire plastics life cycle must be a core design feature of the polymers of the future. It is also clear that a suite of materials will be required to meet the myriad of applications, just as different plastics are applied today. This means that underpinning investment is recommended in a range of different technologies and options. It is also essential to emphasize that no single solution is suitable for all scenarios, geographies or products. Different countries already employ a wide range of waste management practices, with varying degrees of environmental impacts. As such, the most sustainable option for a particular location is not necessarily a global solution.

In some scenarios, improved sustainability will arise from deployment of polymers built entirely from renewable, biologically-derived feedstock chemicals, or from wastes like CO_2, where the raw materials used to produce the polymer are carbon neutral. For some applications, durable or longer-lasting polymers, which can be reused multiple times prior to efficient closed-loop

recycling, will be the best option. In yet other scenarios, it will be important to design polymers to incorporate special chemical and physical features to make them ‘degradable on demand’ – such features will reduce energy use and improve selectivity for closed-loop recycling. Fundamentally, there is a need to design polymers for efficient disassembly. Such an approach has the potential to enable closed-loop recycling over multiple cycles and to reduce, or even nullify, environmental persistence if they escape from waste systems.

We recognize that building this new future for plastics necessitates a major collaboration between sciences, engineering, technology, materials design, humanities, human behaviour, policy, regulation, economics and business. This report focuses only on the contributions and solutions that could be technically feasible, and on the research challenges specific to chemistry and the chemical sciences. It deliberately avoids making recommendations on policies or regulations for recycling, waste management systems, use of financial incentives and taxation (the Further reading appendix p45 includes references to recent policy briefings and reports from expert working groups that address some of these important parallel issues).

In coming up with our recommendations, we emphasize that technology alone cannot provide all solutions and that parallel advances in waste management, regulation, economics and behaviour will be needed to deliver the infrastructure and ecosystems for a sustainable plastics future. We signal that experts in chemistry are well placed to provide impartial evidence for policymaking and standardization of plastics, as well as in environmental monitoring and detection.

We propose four major research challenges and their underpinning research priorities. These research challenges are interlinked and symbiotic, as such we do not recommend unbalanced selection or weighting of research in a particular direction. Our philosophy is that plastics should not be deliberately released or dumped into the environment and that efficient closed-loop waste management systems are vital to implement these technological advances and solutions. Meeting the technical challenges necessitates close integration with a range of other technical disciplines, as well as in parallel with the broader considerations outlined above.

To ensure future researchers are able to invent effectively in this space, it is important to offer multi-disciplinary training and education of chemists in areas such as polymer science, materials engineering, process design, eco-toxicology, molecular biology, environmental sciences, life cycle assessment and data science. We, as a scientific community, recognize the benefits of, and urgent need for, outreach, advocacy and public engagement activities to stimulate a public dialogue about the impacts and solutions of future plastics, and to examine material selection choices using a life cycle approach, and in the context of sustainable development goals.

Research challenge 1: To understand the impacts of plastics throughout their life cycles

a. Develop new analytical methods to study microplastics and nanoplastics for different types and shapes and at different size and time scales. These should include high-throughput spectroscopy and microscopy techniques that can rapidly generate reproducible data about the size distribution, structure and properties of microplastics in the environment.

b. These data should be applied in predictive models that simulate the transport and distribution of microplastics in the environment, which will help to understand the location, fate and persistence of plastic waste. In future, these models may also help to predict the environmental impact of new plastics before they get to market.

c. Research is needed to properly understand the factors that influence the formation of microplastics and nanoplastics, across a range of environments including soils, freshwater, and oceans.

d. We must understand whether there is any toxicity from plastics and their degradation products, at all size scales of waste fragments. This will require detailed knowledge of the biological pathways involved in the chemical and particle toxicity of microplastics. It should also consider both direct and indirect ecological effects, such as a reduction MCI5 size scales of w°°

d. Improving plastic sustainability in some sectors will require production of durable or longer-lasting polymers. These plastics need to maintain their properties and performances over appropriate use time scales but be designed from the outset with managed end-of-life scenarios. Research into alternative reinforcing interactions, especially to produce alternatives to thermoset resins and networks, is a priority. Exploration of the use of non-covalent or equilibrium interactions is recommended as a means to ensure properties are delivered while facilitating recycling and / or reprocessing. Research should also focus on how to control crystallization and loss of crystallinity in materials, as crystalline regimes confer useful properties but slow chain disassembly after use.

e. Efforts to design new plastics must consider their properties across multiple length scales, including monomer sequences, polymer chain interactions, as well as nanostructures and microstructures. It is important to develop new experimental methods and theories to understand the relationships between the structures and properties of polymers. In future, it may be possible to apply homoplastic composites, whereby a single polymer chemistry performs multiple functions through control across length scales. For example, ensuring that in packaging only one type of material is used for the packaging, adhesive, and barrier layer would simplify recycling.

f. Design data, analytical characterization methods and models should be developed that inform both polymerization and depolymerization processes. New theory and methodology is needed to accurately predict polymer performance and disassembly across multiple length and time scales.

Research challenge 3: Closed-loop plastics recycling

a. Chemical technologies are needed to improve labelling, identification and separation of waste plastics and composites into single-component, pure polymers. These polymers should be reprocessed into new products and / or fully recycled to pure polymer by chemical recycling.

b. More efficient chemical recycling processes are needed to recover valuable oligomers, monomers and / or small molecules from wastes. Chemical technologies should be developed which function effectively using polymer composites and mixtures of plastics. These technologies include new catalysts, processes and reactions allowing chemical recycling of current large scale polymers. For example, polyolefins cannot yet be chemically recycled with sufficient efficiency or chemical selectivity to monomers.

c. To deliver better plastic recyclability, reactions for polymerization and depolymerization that are closer to equilibrium should be investigated. This approach may bring additional property benefits, such as self-healing plastics with extended lifetimes as well as reductions in energy demand required for

1. The impact of plastics

Plastics are an essential part of modern life, and an indispensable tool in sustainable development. Some of today's petrochemical-based plastics also have concerning environmental impacts, from the greenhouse gases involved in raw material extraction and manufacturing to waste plastic pollution in the environment. Chemistry can underpin efforts to understand and mitigate these impacts by developing sustainability tools and, where appropriate, circular economies for plastics.

microplastics that entered the oceans decades ago (Sci. Adv. 2019, DOI: 10.1126/sciadv.aax0587). Some researchers are already studying the plastic in preserved samples of dead animals in the International Environmental Specimen Bank. This repository contains hundreds of thousands of specimens, including fish and seabirds, and researchers are gearing up to explore this trove to look for evidence of historic microplastic pollution.

Bringing data from many different sources and combining them into useful models will require a multidisciplinary research effort, involving more collaboration between many different fields: polymer chemistry, analytical chemistry, biochemistry, environmental chemistry, physical oceanography and informatics.

Mulch films

Plastic pollution is not restricted to oceans and freshwater. In some countries, farmers are facing a growing threat from plastic pollution in soil, due in part to an agricultural practice known as mulching. Plastic mulch films, comprised of polyethylene sheets, are used to cover crop fields soon after planting. They raise soil temperatures, limit weed growth and prevent moisture loss; as a result, water usage is reduced, while earlier harvesting and higher crop yields are feasible. As the world's population grows and food demand increases, plastic mulch film has a key role to play in agriculture. For example, in 2018, China used 1.4 million tonnes of plastic mulch film to cover approximately 20 million hectares of land used to grow crops.

But when farmers remove the film, it often leaves shreds of residual plastic, and because polyethylene is not degradable, these plastic residues accumulate in the soil. The structure of soil becomes depleted, which may limit plant growth and foul machinery. Mulching is important for efficient agriculture, and despite its problems farmers are loath to lose the benefits of the practice. Alternative plastics could reduce these environmental impacts, and one strategy could be to develop plastic films that are environmentally degradable. Such a material would obviate the need for gathering up waste plastic, while ensuring that any residues left behind would break down to benign compounds in the soil. Combining these properties in a single plastic is not trivial, but it is a challenge that chemistry is well placed to tackle (see chapter 4: Degradation of plastics).

Plastic mulch film is used to improve the efficiency of growing crops.





Plastic rulers amongst recyclable plastics. These rulers have been made from recycled materials.

Researchers have developed highly active and selective catalysts for these (co-) polymerization reactions, but further improvements are needed to translate these to sustainable industrial processes that produce plastics with more desirable characteristics such as higher mechanical strength and better barrier properties.

It is important to note that simply because a monomer can be produced from renewable resources does not guarantee improved sustainability. For example, bio-based polyethylene terephthalate (PET) can be produced by making the ethylene glycol co-monomer from glucose, but this gives rise to impacts such as eutrophication and acidification. The other co-monomer for PET, the aromatic diacid, cannot currently be economically produced from renewables. Alternative aromatic monomers derived from sugars show promise to produce fully bio-based polymers with similar properties to PET, but there are still challenges with monomer and polymer production. Better catalysts and processes could help, for example by using high pressure CO_2 together with new catalysts to reduce polymerization temperatures and energy consumption.

It must be stressed that the material properties of a polymer are decisive for its applications. The thermal and mechanical properties of PLA, for example, define its possible applications, and exclude many others.

Using waste molecules

Better reuse of waste molecules, either from industrial, agricultural or other chemical processes, will be important in reducing the carbon emissions associated with plastics. But CO_2 can also be used, in conjunction with a co-monomer, as a building block for plastics. In many ways, it is an ideal feedstock – it is cheap, abundant, and is the waste product from many industrial processes.

For example, polycarbonates can be produced by reacting epoxides with CO_2. This process is operating at commercial scale, and life cycle assessments have quantified the reductions to overall greenhouse gas emissions (Green Chem. 2014, DOI: 10.1039/c4gc00513a). The CO_2 copolymerization process is critically dependent upon the catalyst, and recent inventions have uncovered the opportunity to increase performances using mixed-metal catalysts, for example of magnesium and zinc (Chem. Sci. 2019, DOI: 10.1039/C9SC00385A). As chemists develop a better understanding of how these metals cooperate, that should help to develop better catalysts that can make the process even more efficient, reducing manufacturing costs and prompting wider adoption of these plastics.

It may also be possible to develop chemical recycling technologies that break

4. Degradation of plastics

Although some biodegradable and compostable plastics are available, there remains some confusion among the public and in industry regarding what these terms mean, and around the conditions and time scales necessary for these degradation processes. Research is needed to understand exactly how all plastics degrade in different circumstances, and the fate of their degradation products. This knowledge will help chemists to design polymers that are durable in life yet degradable on demand, and to ensure that there are not unintended environmental consequences resulting from the degradation products of plastics.

Introduction

Most plastics are designed to be durable, so that they maintain their structure and performance during their useful life. But in application sectors such as packaging this durability can give rise to pollution, because discarded waste plastic can persist in the environment for years or even decades. It is also important to emphasize that for some applications, designing plastics to be more durable and longer-lived would be a more sustainable option and should be explored. In some scenarios allowing for plastic articles to be reused multiple times, for example in refillable packaging, will represent a more sustainable option than providing multiple disposable packaged articles. Nonetheless, there is a fundamental problem with having materials that are not degradable in applications where they can make their way into the environment.

Designing a plastic to be durable in life, and degradable at the end of its life, is a major challenge. Biodegradable plastics are available today and have been developed for a number of sectors and contexts. For example, some materials were initially developed for use in medical implants that slowly break down in a patient's body. Some plastics are best suited to degradation within industrial composting facilities, which require the same sort of collection and processing infrastructure as conventional recyclable polymers. Other polymers are designed to break down in home composting bins. For such degradable polymers it is vital to understand what conditions are required, how long it takes, and what breakdown products it leaves behind. It is recognized that that current standards and test methods cannot predict breakdown in the range of complex natural environments (R. Soc. Open Sci



In academic laboratories, a wide range of other degradable polymers are

Appendix

Further reading

United Nations Environment Programme ‘Biodegradable Plastics & Marine Litter: Misconceptions, Concerns and Impacts on Marine Environments’ 2015. Available at wedocs.unep.org/handle/20.500.11822/7468

Suschem ‘Plastics Strategic Research and Innovation Agenda in a Circular Economy’ 2018. Available at suschem.org/publications

PlasticsEurope ‘Plastics – the Facts’ 2019. Available at plasticseurope.org/en/resources/publications/1804-plastics-facts-2019

House of Commons Library, Briefing Paper number 08515 ‘Plastic Waste’ 2020. Available at commonslibrary.parliament.uk/research-briefings/cbp-8515/

The National Academies of Sciences, Engineering and Medicine ‘Closing the Loop on the Plastics Dilemma: Proceedings of a Workshop in Brief’ 2020. Available at doi.org/10.17226/25647

CS3 participants

China

Zhibo Li (Chair)	Qingdao University of Science and Technology
Zheng Huang	Shanghai Institute of Organic Chemistry, CAS
Hua Lu	Peking University
Xianhong Wang	Changchun Institute of Applied Chemistry, CAS
Changrong Yan	Chinese Academy of Agricultural Sciences
Jun Zhang	Institute of Chemistry, CAS
Zhigang Shuai	Chinese Chemical Society (CCS)
Lidong Han	Chinese Chemical Society (CCS)

Germany

Andreas Greiner (Chair)	University of Bayreuth
Markus Biesalski	Technical University of Darmstadt
Christian Laforsch	University of Bayreuth
Stefan Mecking	University of Konstanz
Brigitte Voit	Leibniz Institute of Polymer Research Dresden (IPF)
Markus Behnke	German Research Foundation (DFG)
Hans-Georg Weinig	German Chemical Society (GDCh)

Japan

Atsushi Takahara (Chair)	Kyushu University
Hirofumi Hinata	Ehime University
Keiji Numata	RIKEN Center of Sustainable Resource Science
Kotaro Satoh	Tokyo Institute of Technology
Toshiaki Yoshioka	Tohoku University
Satoshi Miyashita	Japan Science and Technology Agency (JST)
Ryoji Nakamura	Japan Science and Technology Agency (JST)
Mitsuo Sawamoto	Chemical Society of Japan (CSJ)



rsc.li/progressive-plastics

Science to enable sustainable plastics – A white paper from the 8th Chemical Sciences and Society Summit (CS3)